

On Pointe


Designed by *Marsha Evans Moore*

Featuring *Be Colourful* specialty collection

SIZE: 68-1/2" x 78-3/4"

INTERMEDIATE
SKILL

FREE BATIK
PROJECT



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.




PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.



On Pointe

CUTTING NOTES: Please read the entire pattern before you begin. The templates are found on page 9.


WOF = WIDTH OF FABRIC

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		BC28Q-1 Grey	3/4	(4) 5" x WOF strips; subcut, <i>NOTE ORIENTATION OF STRIPES</i> (22) Large Triangle Templates and (4) Small Triangle Templates. (1) 2-1/2" x WOF strip; subcut (16) 2-1/2" squares.
B		BC28Q-4 Red	1/2	(1) 6-1/2" x WOF strip; subcut (4) 6-1/2" x 2" strips, (4) 5" x 2" strips, (2) 4-1/2" x 2" strips, (2) 3" x 2" strips and (12) 2-1/2" squares. (2) 2" x WOF strips; subcut (8) 2" x 4-1/2" strips and (8) 2" x 3" strips.
C		BC28Q-5 Blue	3/8	(1) 6-1/2" x WOF strip; subcut (4) 6-1/2" x 2" strips (4) 5" x 2" strips and (20) 2-1/2" squares.
D		BC28Q-7 Green	3/8	(1) 6-1/2" x WOF strip; subcut (4) 6-1/2" x 2" strips (4) 5" x 2" strips and (20) 2-1/2" squares. (1) 2" x WOF strips; subcut (4) 2" x 4-1/2" strips and (4) 2" x 3" strips.
E		BC28Q-12 Light Blue	1/4	(2) 2" x WOF strips; subcut (10) 2" x 4-1/2" strips and (10) 2" x 3" strips.
F		BC28Q-13 Yellow	3/8	(1) 6-1/2" x WOF strip; subcut (2) 6-1/2" x 2" strips (2) 5" x 2" strips and (16) 2-1/2" squares. (2) 2" x WOF strips; subcut (6) 2" x 4-1/2" strips and (6) 2" x 3" strips.
G		BC77Q-14 White Rainbow	1-1/2	(3) 2" x WOF strips; subcut (18) 2" x 6-1/2" strips. (1) 5" x WOF strip; (18) 5" x 2" strips. (7) 1-3/4" x WOF strips; sew ends together. Cut (2) 1-3/4" x 76" borders and (2) 1-3/4" x 65-3/4" borders. Trim ends diagonally. FOR BINDING: (8) 2-1/4" x WOF strips, sew short ends together.

PROJECT DISCLAIMER: Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check windhamfabrics.com for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.



On Pointe

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
H		BC01Q-X Bright Yellow	1/4	(2) 2" x WOF strips; subcut (10) 2" x 4-1/2" strips and (10) 2" x 3" strips.
I		BC04Q-X Sunrise	1/3	(3) 2" x WOF strips; subcut (4) 2" x 6-1/2" strips, (4) 2" x 5" strips, (6) 2" x 4-1/2" and (6) 2" x 3" strips.
J		BC17Q-X Enchanted	3/8	(3) 2" x WOF strips; subcut (4) 2" x 6-1/2" strips, (4) 2" x 5" strips, (8) 2" x 4-1/2" and (8) 2" x 3" strips. (1) 2-1/8" x WOF strip; subcut (5) 2-1/8" squares and (13) 1-3/4" squares. Cut 2-1/8" triangles in half once diagonally.
K		BC18Q-X Butterfly Flight	1	(7) 2-1/2" x WOF strips; sew short ends together. (2) 2-1/2" x 68" borders and (2) 2-1/2" x 76" borders. (2) 2" x WOF strips; subcut (6) 2" x 6-1/2" strips and (6) 2" x 5" strips. (1) 2-1/8" x WOF strip; subcut (3) 2-1/8" squares and (18) 1-3/4" squares. Cut 2-1/8" triangles in half once diagonally.
L		BC19Q-X Love in a Mist	1/2	(4) 2" x WOF strips; subcut (10) 2" x 6-1/2" strips, (10) 2" x 5" strips, (4) 2" x 4-1/2" and (4) 2" x 3" strips. (1) 2-1/8" x WOF strip; subcut (3) 2-1/8" squares Cut 2-1/8" triangles in half once diagonally.
M		BC24Q-X Early Dew	3/8	(4) 2" x WOF strips; subcut (8) 2" x 6-1/2" strips, (8) 2" x 5" strips, (4) 2" x 4-1/2" and (4) 2" x 3" strips. (1) 1-3/4" x WOF strip; subcut (21) 1-3/4" squares.
N		BC74Q-X Pink Lady	3/8	(2) 2" x WOF strips; subcut (4) 2" x 6-1/2" strips, (4) 2" x 5" strips, (4) 2" x 4-1/2" and (4) 2" x 3" strips. (1) 2-1/8" x WOF strip; subcut (3) 2-1/8" squares and (18) 1-3/4" squares. Cut 2-1/8" triangles in half once diagonally.
O		BC33Q-X Sparkling White	2-1/2	(9) 6-1/2" x WOF; subcut (8) 6-1/2" squares and (168) 6-1/2" x 1-3/4" strips. (23) 1" x WOF strips; subcut (64) 1" x 5" strips, (64) 1" x 4-1/2" strips, (64) 1" x 3" strips, and (64) 1" x 2-1/2" strips.



On Pointe


ADDITIONAL REQUIREMENTS

4-1/2 yards backing fabric
 Thread to match fabrics
 Basic sewing supplies
 Template plastic


77" x 87" batting
 Sewing machine
 Rotary cutter, ruler and mat

BLOCKS


- Sew (1) **O** 1" x 2-1/2" strip to side of (1) **F** 2-1/2" square, noting orientation of stripes. Sew (1) **O** 1" x 3" strip to adjacent side.
- Sew (1) **J** 2" x 3" strip to side with 2-1/2" **O** strip. Sew (1) **J** 2" x 4-1/2" strip to adjacent side.
- Sew (1) **O** 1" x 4-1/2" strip to side with 3" **J** strip. Sew (1) **O** 2" x 5" strip to adjacent side.
- Sew (1) **G** 5" x 2" strip to side with 4-1/2" **O** strip noting orientation of stripes. Sew (1) **G** 2" x 6-1/2" strip to adjacent side to complete corner unit 1. Corner unit should measure 6-1/2" square including seam allowance. Make 2.
- Following steps 1-4, make corner unit 2 using the fabrics indicated to make corner unit 2. Make 2.



- Sew (2) **O** 6-1/2" x 1-3/4" to opposite sides of one **M** 1-3/4" square to make block center unit. Make 1.



- Sew (1) corner unit 1 and (1) corner unit 2 to opposite sides of (1) **O** 6-1/2" x 1-3/4" strip to make half block units. Make 2.






On Pointe






8. Sew half block units to sides of block center unit to make block 1. Block should measure 13-3/4" square including seam allowance. Make 4.

9. Following steps 1-8, make blocks 2-6 using the fabrics shown. Make the number of blocks indicated.

Step 8






Step 9



10. Following steps 1-4, make the (2) corner unit 1 and (1) corner unit 2.

11. Sew (1) corner unit 1 and (1) **A** Large Triangle to opposite sides of (1) **O** 6-1/2" x 1-3/4" strip to make a half block unit. Make 1.




12. Sew (1) corner unit 1 and (1) corner unit 2 to opposite sides of (1) **O** 6-1/2" x 1-3/4" strip to make a half block unit. Make 1.







On Pointe

- 13. Sew (1) **O** 6-1/2" x 1-3/4" to opposite sides of one **K** 1-3/4" square to make block center unit. Make 1.
- 14. Sew half block units to opposite sides of center unit to make Block 7. Make 2
- 15. Following steps 10-14, to make Block 8 using the fabrics shown. Make 2.




Side Triangles

- 16. Sew (1) **J** 2-1/8" triangle to end of (1) **O** 6-1/2" x 1-3/4" strip make a triangle/strip unit. Note orientation of triangle.
- 17. Sew (1) **A** Large Triangle and (1) **O** 6-1/2" square to opposite side of (1) **O** 6-1/2" x 1-3/4" strip to make a triangle/square unit. Make 1.




- 18. Sew (1) **A** Large Triangle and (1) triangle/square unit to sides of triangle/strip unit to make side triangles. Make 4



Block Sashing

- 19. Sew ends of (1) **O** 6-1/2" x 1-3/4" strip to opposite sides of (1) **K** or **N** 1-3/4" square. Make 8 each.








On Pointe

Top and Bottom Triangles

20. Following step 16, make a triangle/strip unit. Make 1.

21. Sew triangle/strip unit to side of (1) **A** Large Triangle to make top triangle. Make 1.

22. Following steps 20-21, make bottom triangle using (1) **N** 2-1/8" triangle.







Corner Triangles

23. Following step 16, make (2) triangle/strip units using (1) **J** 2-1/8" triangle and (1) **K** 2-1/8" triangle. Note color and orientation of triangles.


24. Sew (1) **O** 6-1/2" x 1-3/4" strip to (1) **O** 6-1/2" square to make a square/strip unit. Make 1.

25. Sew triangle/strip units to sides of triangle square unit.

26. Sew (1) **A** Large Triangle to sides of triangle/strip units. Sew (1) **A** Small Triangle to **O** 6-1/2" x 1-3/4" square to make a triangle. Make 1.



27. Following steps 23-26, make (3) corners using the 2-1/8" triangles shown. Make 1 of each.





On Pointe

ASSEMBLY CENTER

28. Following the Quilt Center Layout on page 8, arrange the blocks, sashing strips, side triangles and top and bottom triangles in diagonal rows as shown. Sew together the blocks and triangles alternating with sashing strips to make each row.

29. Sew together the **O** 6-1/2" x 1-3/4" strips alternating with 1-3/4" squares to make the sashing rows. Sew (1) 2-1/8" triangle to the ends of each row noting the orientation of the triangles.

30. Sew the block rows and the sashing rows together matching seams. Sew the corner sashing units on last. Sew the corners to the corner sashing rows matching seams. Trim quilt edges 1/4" past sashing triangle points. Quilt center should measure approximately 61-1/2" x 71-3/4".

BORDERS

31. Sew short side of (1) **G** 1-3/4" x 75-3/4" border to each side of quilt beginning and ending stitching 1/4" from edges of quilt center. Sew short side of (2) **G** 1-3/4" x 65-1/2" borders to top and bottom of quilt beginning and ending stitching 1/4" from edges of quilt center. Sew diagonal ends of borders together at corners.


32. Sew (1) **K** 2-1/2" x 75" borders to each side of quilt. Sew (2) **K** 2-1/2" x 68-3/4" borders to top and bottom of quilt.

FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **G** 2-1/4" strips.



On Pointe

Quilt Center Layout





On Pointe

Templates

NOTE ORIENTATION OF STRIPED FABRIC BEFORE CUTTING TRIANGLES.

