

# CABIN TRAILS

Designed by Ariga Wilson for RK  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring **KONA**<sup>®</sup>  
cotton solids



2025  
**KONA**<sup>®</sup>  
cotton solids  
**365**  
CALENDAR  
QUILT

Finished quilt measures: 64-1/2" x 80-1/2"











Difficulty Rating: **Beginner**

**ROBERTKAUFMAN**  
F A B R I C S

For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).

## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-846 SEA GLASS	1/4 yard		F	K001-442 CAPRI	5/8 yard
	B	K001-837 ARUBA	5/8 yard		G	K001-491 JAMAICA	1 yard
	C	K001-45 POOL	1 yard		H	K001-1376 TURQUOISE	1-1/4 yards
	D	K001-1474 CYPRESS	1-1/4 yards		I	K001-1387 WHITE	2-1/2 yards
	E	K001-1009 AZURE	1/4 yard		Binding*	K001-1376 TURQUOISE <small>*Also used for Fabric H</small>	5/8 yard
<p>Copyright 2024, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 5 yards for backing</p>			

### Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

### From each of Fabrics A and E, cut:

two 2-7/8" x WOF strips. Subcut:  
twenty 2-7/8" squares.

### From each of Fabrics B and F, cut:

two 3" x WOF strips. Subcut:  
twenty 3" squares.  
five 2-1/2" x WOF strips. Subcut:  
forty 2-1/2" x 4-1/2" rectangles.

### From each of Fabrics C and G, cut:

two 3" x WOF strips. Subcut:  
twenty 3" squares.  
ten 2-1/2" x WOF strips. Subcut:  
forty 2-1/2" x 8-1/2" rectangles.

### From each of Fabrics D and H, cut:

two 3" x WOF strips. Subcut:  
twenty 3" squares.  
fourteen 2-1/2" x WOF strips. Subcut:  
forty 2-1/2" x 12-1/2" rectangles.

### From Fabric I, cut:


eight 5-1/4" x WOF strips. Subcut:  
ten 5-1/4" squares.  
fourteen 3" x WOF strips. Subcut:  
one-hundred and twenty 3" squares.

### From the Binding Fabric, cut:


eight 2-1/2" x WOF strips.

## Assemble the Flying Geese


**Step 1:** Pin two 2-7/8" Fabric A squares in opposing corners of a 5-1/4" Fabric I square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.




**Step 2:** Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.



**Step 3:** Press the fabric toward smaller triangles. Repeat with the second unit.



**Step 4:** Place one 2-7/8" Fabric I square at the corner of a sewn block unit. Draw a diagonal line in pencil. Sew a scant 1/4" seam on each side of the diagonal line. Set seam (press). Cut along the diagonal line, creating two identical units.



**Step 5:** Press the seam toward the smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 2-1/2" x 4-1/2" if necessary. Repeat to make twenty A/I flying geese units.




**Step 6:** Repeat with all remaining 2-7/8" Fabric E squares and 5-1/4" Fabric I squares to make twenty E/I flying geese units.



## Assemble the Half-Square Triangles (HSTs)


**Step 7:** Pair a 3" Fabric B square with a 3" Fabric I square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square. Repeat to make forty B/I HSTs.




**Step 8:** Repeat Step 7 to make:




forty C/I HSTs



forty D/I HSTs



forty F/I HSTs



forty G/I HSTs




forty H/I HSTs

## Assemble the Blocks


**Step 9:** Sew two A/I Flying Geese units together as shown. Press the seam open.



**Step 10:** Select the Step 9 unit, four B/I HSTs, and four 2-1/2" x 4-1/2" Fabric B rectangles. Arrange the units in three rows of three as shown. Sew the units together to form rows, then press the seams towards the Fabric B rectangles. Nest the seams and sew the rows together. Press the seams towards the top and bottom of the unit.




**Step 11:** Select the Step 10 unit, four C/I HSTs, and four 2-1/2" x 8-1/2" Fabric C rectangles. Arrange the units in three rows of three as shown. Sew the units together to form rows, then press the seams towards the Fabric C rectangles. Nest the seams and sew the rows together. Press the seams towards the top and bottom of the unit.






**Step 12:** Select the Step 11 unit, four D/I HSTs, and four 2-1/2" x 12-1/2" Fabric D rectangles. Arrange the units in three rows of three as shown. Sew the units together to form rows, then press the seams towards the Fabric D rectangles. Nest the seams and sew the rows together. Press the seams towards the top and bottom to complete the block.




**Step 13:** Repeat Steps 9-12 to create ten A/B/C/D Blocks.




**Step 14:** Sew two E/I Flying Geese units together as shown. Press the seam open.




**Step 15:** Select the Step 14 unit, four F/I HSTs, and four 2-1/2" x 4-1/2" Fabric F rectangles. Arrange the units in three rows of three as shown. Sew the units together to form rows, then press the seams towards the Fabric F rectangles. Nest the seams and sew the rows together. Press the seams towards the top and bottom of the unit.




**Step 16:** Select the Step 15 unit, four G/I HSTs, and four 2-1/2" x 8-1/2" Fabric G rectangles. Arrange the units in three rows of three as shown. Sew the units together to form rows, then press the seams towards the Fabric G rectangles. Nest the seams and sew the rows together. Press the seams towards the top and bottom of the unit.



**Step 17:** Select the Step 16 unit, four H/I HSTs, and four 2-1/2" x 12-1/2" Fabric H rectangles. Arrange the units in three rows of three as shown. Sew the units together to form rows, then press the seams towards the Fabric H rectangles. Nest the seams and sew the rows together. Press the seams towards the top and bottom to complete the block.




**Step 18:** Repeat Steps 14-17 to create ten E/F/G/H Blocks.




## Assemble the Quilt


**Step 19:** Arrange the blocks into five rows of four blocks. Note how the A/B/C/D Blocks and /E/F/G/H Blocks alternate across the quilt in the Quilt Assembly Diagram.



**Step 20:** Sew the blocks together to form rows. Press the seams open.



**Step 21:** Sew the rows together to form the quilt center. Press the seams open.



Your quilt top is complete!  
Baste, quilt, bind, and enjoy!

