


ECLIPSE

Designed by Elise Lea for RK
www.robertkaufman.com

Featuring **KONA**[®]
cotton solids



2025
KONA[®]
cotton solids
365
CALENDAR
QUILT

Finished quilt measures: 65" x 77"












Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1387 WHITE	1/2 yard		G	K001-106 METAL	1/2 yard
	B	K001-1333 SILVER	3/4 yard		H	K001-1071 CHARCOAL	3/4 yard
	C	K001-856 QUICKSILVER	3/4 yard		I	K001-359 PEPPER	1/2 yard
	D	K001-408 IRON	3/4 yard		J	K001-1019 BLACK	1/4 yard
	E	K001-500 TITANIUM	1/2 yard		Binding*	K001-106 METAL <small>*Also used for Fabric G</small>	5/8 yard
	F	K001-91 STEEL	1/4 yard	<p>You will also need: 4-3/4 yards for backing</p>			

Copyright 2024, Robert Kaufman
For individual use only - Not for resale

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

From each of Fabrics A and E, cut:

two 6-1/2" x WOF strips. Subcut:
seven 6-1/2" squares
three 2-1/2" x 10" rectangles
one 2-1/2" x 15" rectangle
one 2-1/2" x 5" rectangle
one 2-1/2" x WOF strip. Subcut:
one 2-1/2" x 40" rectangle

From each of Fabrics B and D, cut:

three 6-1/2" x WOF strips. Subcut:
fourteen 6-1/2" squares
two 2-1/2" x 20" rectangles
two 2-1/2" x WOF strips. Subcut:
one 2-1/2" x 40" rectangle
two 2-1/2" x 10" rectangles

From Fabric C, cut:

two 6-1/2" x WOF strips. Subcut:
eight 6-1/2" squares
one 2-1/2" x 22-1/2" rectangle
two 2-1/2" x 5" rectangles
five 2-1/2" x WOF strips. Subcut:
six 2-1/2" x 20" rectangles
two 2-1/2" x 40" rectangles

From each of Fabrics F and J, cut:

three 2-1/2" x WOF strips. Subcut:
three 2-1/2" x 10" rectangles
two 2-1/2" x 5" rectangles
twenty 2-1/2" squares

From each of Fabrics G and I, cut:

six 2-1/2" x WOF strips. Subcut:
one 2-1/2" x 40" rectangle
two 2-1/2" x 20" rectangles
two 2-1/2" x 15" rectangles
one 2-1/2" x 10" rectangle
forty-six 2-1/2" squares

From Fabric H, cut:


nine 2-1/2" x WOF strips. Subcut:
one 2-1/2" x 40" rectangle
two 2-1/2" x 22-1/2" rectangles
four 2-1/2" x 20" rectangles
one 2-1/2" x 5" rectangle
sixty-eight 2-1/2" squares

From the Binding Fabric, cut:

eight 2-1/2" x WOF strips.

Assemble the Strip Sets

Step 1: Sew one 2-1/2" x 10" Fabric F rectangle between two 2-1/2" x 10" Fabric E rectangles. Press.




Cut the strip set into four 2-1/2" E/F/E segments.

Step 2: Sew one 2-1/2" x 5" Fabric E rectangle between two 2-1/2" x 5" Fabric F rectangles. Press.



Cut the strip set into two 2-1/2" F/E/F segments.

Step 3: Sew one 2-1/2" x 10" Fabric E rectangle, one 2-1/2" x 10" Fabric F rectangle, and one 2-1/2" x 10" Fabric D rectangle together in that order. Press.




Cut the strip set into four 2-1/2" E/F/D segments.

Step 4: Sew one 2-1/2" x 10" Fabric F rectangle, one 2-1/2" x 10" Fabric D rectangle, and one 2-1/2" x 10" G rectangle together in that order. Press.




Cut the strip set into four 2-1/2" F/D/G segments.

Step 5: Sew one 2-1/2" x 40" Fabric D rectangle, one 2-1/2" x 40" Fabric G rectangle, and one 2-1/2" x 40" Fabric E rectangle together in that order. Press.




Cut the strip set into sixteen 2-1/2" D/G/E segments.

Step 6: Sew one 2-1/2" x 15" Fabric E rectangle between two 2-1/2" x 15" Fabric G rectangles. Press.




Cut the strip set into six 2-1/2" G/E/G segments.

Step 7: Sew one 2-1/2" x 20" Fabric D rectangle, one 2-1/2" x 20" Fabric H rectangle, and one 2-1/2" x 20" Fabric C rectangles together in that order. Press.




Cut the strip set into eight 2-1/2" D/H/C segments.

Step 8: Sew one 2-1/2" x 20" Fabric H rectangle, one 2-1/2" x 20" Fabric C rectangle, and one 2-1/2" x 20" Fabric G rectangles together in that order. Press.




Cut the strip set into eight 2-1/2" H/C/G segments.

Step 9: Sew one 2-1/2" x 20" Fabric C rectangle, one 2-1/2" x 20" Fabric G rectangle, and one 2-1/2" x 20" Fabric D rectangles together in that order. Press.




Cut the strip set into eight 2-1/2" C/G/D segments.

Step 10: Sew one 2-1/2" x 40" Fabric H rectangle between two 2-1/2" x 40" Fabric C rectangles. Press.




Sew one 2-1/2" x 5" Fabric H rectangle between two 2-1/2" x 5" Fabric C rectangles. Press.




Cut the strip sets into eighteen 2-1/2" C/H/C segments.

Step 11: Sew one 2-1/2" x 22-1/2" Fabric C rectangle between two 2-1/2" x 22-1/2" Fabric H rectangles. Press.




Cut the strip set into six 2-1/2" H/C/H segments.

Step 12: Sew one 2-1/2" x 20" Fabric B rectangle, one 2-1/2" x 20" Fabric I rectangle, and one 2-1/2" x 20" Fabric C rectangles together in that order. Press.




Cut the strip set into eight 2-1/2" B/I/C segments.

Step 13: Sew one 2-1/2" x 20" Fabric I rectangle, one 2-1/2" x 20" Fabric C rectangle, and one 2-1/2" x 20" Fabric H rectangles together in that order. Press.




Cut the strip set into eight 2-1/2" I/C/H segments.

Step 14: Sew one 2-1/2" x 20" Fabric C rectangle, one 2-1/2" x 20" Fabric H rectangle, and one 2-1/2" x 20" Fabric B rectangles together in that order. Press.



Cut the strip set into eight 2-1/2" C/H/B segments.

Step 15: Sew one 2-1/2" x 40" Fabric B rectangle, one 2-1/2" x 40" Fabric I rectangle, and one 2-1/2" x 40" Fabric A rectangles together in that order. Press.




Cut the strip set into sixteen 2-1/2" B/I/A segments.

Step 16: Sew one 2-1/2" x 15" Fabric A rectangle between two 2-1/2" x 15" Fabric I rectangles. Press.




Cut the strip set into six 2-1/2" I/A/I segments.

Step 17: Sew one 2-1/2" x 10" Fabric I rectangle, one 2-1/2" x 10" Fabric B rectangle, and one 2-1/2" x 10" Fabric J rectangle together in that order. Press.




Cut the strip set into four 2-1/2" I/B/J segments.

Step 18: Sew one 2-1/2" x 10" Fabric B rectangle, one 2-1/2" x 10" Fabric J rectangle, and one 2-1/2" x 10" Fabric A rectangle together in that order. Press.




Cut the strip set into four 2-1/2" B/J/A segments.

Step 19: Sew one 2-1/2" x 10" Fabric J rectangle between two 2-1/2" x 10" Fabric A rectangles. Press.



Cut the strip set into four 2-1/2" A/J/A segments.

Step 20: Sew one 2-1/2" x 5" Fabric A rectangle between two 2-1/2" x 5" Fabric J rectangles. Press.



Cut the strip set into two 2-1/2" J/A/J segments.

Assemble the Nine-Patch Blocks

Step 21: Sew one F/E/F segment between two E/F/E segments. Press. Make two blocks.



Step 22: Sew one E/F/D segment, one F/D/G segment, and one D/G/E segment together in that order. Press. Make four blocks.




Step 23: Sew one G/E/G segment between two D/G/E segments. Notice how one outer segment is rotated 180°. Press. Make six blocks.



Step 24: Sew one D/H/C segment, one H/C/G segment, and one C/G/D segment together in that order. Press. Make eight blocks.



Step 25: Sew one H/C/H segment between two C/H/C segments. Press. Make nine blocks.



Step 26: Sew one B/I/C segment, one I/C/H segment, and one C/H/B segment together in that order. Press. Make eight blocks.



Step 27: Sew one I/A/I segment between two A/I/B segments. Notice how one outer segment is rotated 180°. Press. Make six blocks.



Step 28: Sew one A/I/B segment, one I/B/J segment, and one B/J/A segment together in that order. Press. Make four blocks.




Step 29: Sew on J/A/J segment between two A/J/A segments. Press. Make two blocks.



Assemble the Stitch-and-Flip Blocks


Step 30: Place one 2-1/2" Fabric J square on each corner of a 6-1/2" Fabric A square, RST. Mark a diagonal line on each of the smaller squares, then sew on the marked lines. Trim the excess fabric 1/4" away from the sewn seams, then press.




Step 31: Repeat Step 30 using one 6-1/2" Fabric A square, two 2-1/2" Fabric I squares, and two 2-1/2" Fabric J squares. Make six blocks.




Step 32: Repeat Step 30 using one 6-1/2" Fabric B square, two 2-1/2" Fabric I squares, and two 2-1/2" Fabric J squares. Make two blocks.




Step 33: Repeat Step 30 using one 6-1/2" Fabric B square, one 2-1/2" Fabric H square, and three 2-1/2" Fabric I squares. Make seven blocks.




Step 34: Repeat Step 30 using one 6-1/2" Fabric B square, three 2-1/2" Fabric H squares, and one 2-1/2" Fabric I square. Make five blocks.




Step 35: Repeat Step 30 using one 6-1/2" Fabric C square, one 2-1/2" Fabric G square, and three 2-1/2" Fabric H squares. Make four blocks.




Step 36: Repeat Step 30 using one 6-1/2" Fabric C square, three 2-1/2" Fabric H squares, and one 2-1/2" Fabric I square. Make four blocks.



Step 37: Repeat Step 30 using one 6-1/2" Fabric D square, two 2-1/2" Fabric F squares, and two 2-1/2" Fabric G squares. Make two blocks.




Step 38: Repeat Step 30 using one 6-1/2" Fabric D square, three 2-1/2" Fabric G squares, and one 2-1/2" Fabric H square. Make seven blocks.



Step 39: Repeat Step 30 using one 6-1/2" Fabric D square, one 2-1/2" Fabric G square, and three 2-1/2" Fabric H squares. Make five blocks.



Step 40: Repeat Step 30 using one 6-1/2" Fabric E square and four 2-1/2" Fabric F squares.



Step 41: Repeat Step 30 using one 6-1/2" Fabric E square, two 2-1/2" Fabric F squares, and two 2-1/2" Fabric G squares. Make six blocks.



Assemble the Quilt

Step 42: Arrange the blocks into eleven rows of nine blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.


Step 43: Sew the blocks together to form rows. Press the seams to the left in the odd-numbered rows and to the right in the even-numbered rows.

Step 44: Sew the rows together to form the quilt center. Press the row seams open.

Step 45: Sew the side inner borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

Step 46: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind, and enjoy!



This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2024. All rights reserved.