


ARROWHEAD

Designed by Ariga Wilson for RK
www.robertkaufman.com

Featuring **KONA**®²⁰²³ COLOR
cotton solids OF THE
YEAR



Finished quilt measures: 55" x 65"






Difficulty Rating: **Intermediate**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1995 KONA COTY	2-3/4 yards		D	K001-1854 SHARK	1/3 yard
	B	K001-352 RUBY	1-1/8 yards		Binding*	K001-352 RUBY <small>*Also used for Fabric B</small>	1/2 yard
	C	K001-1271 SHELL	1-1/8 yards	You will also need: 3-1/2 yards for backing			

Copyright 2022, Robert Kaufman
 For individual use only - Not for resale

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

one 8-1/2" x WOF strip. Subcut:

one 8-1/2" square, then cut:

five 1-1/2" x WOF strips. Set aside for the sashings and outer border.

three 4-1/2" x WOF strips. Set aside for strip piecing.

twenty 2-1/2" x WOF strips. Set aside for strip piecing.

thirteen 1-1/2" x WOF strips. Set aside for the sashings and outer border.

From each of Fabrics B and C, cut:

fifteen 2-1/2" x WOF strips. Set aside for strip piecing.

From each of Fabric D, cut:

four 2-1/2" x WOF strips. Set aside for strip piecing.

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips.

Assemble the A Block Units

Step 1: Gather:

one 2-1/2" Fabric A strip

one 2-1/2" Fabric C strip

one 2-1/2" Fabric D strip


one 2-1/2" Fabric A strip

Sew together in that order to form a strip set. Repeat to make a total of four A strip sets. Press the seams to one side.




Step 2: Cut each strip set into four 8-1/2" squares, for a total of sixteen squares.

Step 3: With the squares rotated as they were sewn, cut eight squares from lower left to upper right. The portion on the right will now be called A1. The portion on the left will now be called A2. Discard four A2 units.



Step 4: With the squares rotated as they were sewn, cut eight squares from lower right to upper left. The portion on the left will now be called A3. The portion on the right will now be called A4. Discard four A4 units.



Assemble the B Block Units

Step 5: Gather:


- one 2-1/2" Fabric C strip
- one 2-1/2" Fabric A strip
- one 2-1/2" Fabric B strip
- one 2-1/2" Fabric C strip

Sew together in that order to form a strip set. Repeat to make a total of four B strip sets. Press the seams to one side.




Step 6: Cut each strip set into four 8-1/2" squares, for a total of sixteen squares.

Step 7: With the squares rotated as they were sewn, cut eight squares from lower left to upper right. The portion on the right will now be called B1. The portion on the left will now be called B2. Discard the B2 units.



Step 8: With the squares rotated as they were sewn, cut eight squares from lower right to upper left. The portion on the right will now be called B4. The portion on the left will now be called B3. Discard the B4 units.




Assemble the C Block Units

Step 9: Gather:


- one 2-1/2" Fabric A strip
- one 2-1/2" Fabric B strip
- one 2-1/2" Fabric A strip
- one 2-1/2" Fabric B strip

Sew together in that order to form a strip set. Repeat to make a total of four C strip sets. Press the seams to one side.




Step 10: Cut each strip set into four 8-1/2" squares, for a total of sixteen squares.

Step 11: With the squares rotated as they were sewn, cut eight squares from lower left to upper right. The portion on the right will now be called C1. The portion on the left will now be called C2.



Step 12: With the squares rotated as they were sewn, cut eight squares from lower right to upper left. The portion on the left will now be called C3. The portion on the right will now be called C4.




Assemble the D Block Units

Step 13: Gather:


- one 2-1/2" Fabric C strip
- one 2-1/2" Fabric B strip
- one 4-1/2" Fabric A strip

Sew together in that order to form a strip set. Repeat to make a total of three D strip sets. Press the seams to one side.




Step 14: Cut the strip set into four 8-1/2" squares.


Step 15: With the squares rotated as they were sewn, cut four squares from lower left to upper right. The portion on the right will now be called D1. The portion on the left will now be called D2. Discard the D2 units.




Step 16: With the squares rotated as they were sewn, cut four squares from lower right to upper left. The portion on the left will now be called D3. The portion on the right will now be called D4. Discard the D4 units.




Step 17: With the squares rotated as they were sewn, cut four squares from corner to corner to create four triangles. The portion on the right will now be called D5. The portion on the left will now be called D6. The portion on the top will now be called D7. The portion of the bottom will now be called D8. Discard the D7 units.



Step 18: Gather one 8-1/2" Fabric A square. Cut the square from corner to corner to create four triangles. These are additional D8 triangles.



Assemble the Quilt



Step 19: Arrange the A, B, C, and D triangle units to form eight columns, noting the placement and orientation shown in the Quilt Assembly Diagram.

Step 20: Sew each column together, pressing seams to one side. Take extra care to handle the bias edges lightly to prevent stretching. Each column should measure approximately 62-3/4" long.

Step 21: Sew the 1-1/2" Fabric A sashing and strips together, end-to-end. Measure the length of the columns through the center to find the average length. Cut nine sashing strips to this length.

Step 22: Sew the pieced columns and the sashing strips together, placing a sashing strip between each column and on the left and right edges of the quilt. Tip: Pin at the ends, middle and at several points in between and sew with the pieced column on the bottom as you sew to prevent the pieced column from stretching or warping.

Step 23: Measure the width of the quilt through the center. Cut two top/bottom border strips to this length. Sew the borders to the top/bottom of the quilt center. Press toward the border.

Your quilt top is complete! Baste, quilt, bind and enjoy!