

# Vintage Charm

Fabric by Judie Rothermel

*"Bancroft Stars"* Quilt, Inspired by Judie Rothermel





72" x 72"

















Marcus Fabrics Vintage Charm Pattern  
 Finished quilt size: 72" x 72"  
 Finished block size: 18" x 18"  
 Backing: 80" x 80" (4 5/8y of 42" wide fabric)  
 Skill level: Intermediate

**Designer's note: Pieces for making smaller flying geese units (1 1/2" x 3" and 2" x 4" finished) are cut larger to accommodate quilters without special rulers. Flying geese are trimmed to the correct unfinished size after construction to ensure more accurate and easier block assembly. Read through pattern before attempting project.**

**Fabric and Cutting Chart**


Fabric	Yardage	Cutting Directions
 <p>Background R330510 Tan</p>	<p>3 3/4y</p>	<p>a. Pieced blocks            (3) 2" x WOF strips.                Subcut (48) 2" x 2" squares            (8) 2 1/4" x WOF strips.                Subcut (128) 2 1/4" x 2 1/4" squares.            (3) 3 1/2" x WOF strips.                Subcut (16) 3 1/2" x 3 1/2" squares and                (16) 2" x 3 1/2" rectangles.            (2) 3 3/4" x WOF strips.                Subcut (32) 2 1/4" x 3 3/4" rectangles.            (1) 4" x WOF strip.                Subcut (8) 4" x 4" squares.</p> <p>b. Sashing blocks            (4) 1 1/2" x WOF strips.                Subcut (8) 1 1/2" x 15 1/2" rectangles.</p> <p>c. Cornerstones            (1) 3 1/2" x WOF strip.                Subcut (4) 3 1/2" x 3 1/2" squares.</p> <p>d. Inner border #2            (5) 2 1/2" x WOF strips.                Piece strips and subcut (2) 2 1/2" x 44 1/2" and                (2) 2 1/2" x 48 1/2" strips.</p> <p>e. Inner border #3            (15) 2 3/4" x WOF strips.                Subcut (208) 2 3/4" x 2 3/4" squares.</p> <p>f. Inner border #4            (6) 2 1/2" x WOF strips.                Piece strips and subcut (2) 2 1/2" x 56 1/2" and                (2) 2 1/2" x 60 1/2" strips.</p>
 <p>Fabric A R330508 Navy</p>	<p>3/4y</p>	<p>a. Outer border            (8) 3" x WOF strips.                Piece strips and subcut (2) 3" x 68" and                (2) 3" x 73" strips.</p>

 <p>Fabric B R330510 Red</p>	<p>3/4y</p>	<p>a. Pieced blocks (3) 3 1/2" x WOF strips. Subcut (32) 3 1/2" x 3 1/2" squares.</p> <p>b. Sashing blocks (1) 3 1/2" x WOF strip. Subcut (8) 3 1/2" x 3 1/2" squares.</p> <p>c. Inner border #3 (3) 2 3/4" x WOF strips. Subcut (24) 2 3/4" x 4 3/4" rectangles.</p>		
 <p>Fabric C R330512 Blue</p>	<p>2y, including binding</p>	<p>a. Pieced blocks and cornerstone (1) 2" x WOF strip. Subcut (16) 2" x 2" squares. (2) 2 1/4" x WOF strip. Subcut (32) 2 1/4" x 2 1/4" squares. (4) 3 3/4" x WOF strips. Subcut (64) 2 1/4" x 3 3/4" rectangles. (1) 4" x WOF strip. Subcut (8) 4" x 4" squares. (1) 6 1/2" x WOF strip. Subcut (5) 6 1/2" x 6 1/2" squares.</p> <p>b. Inner border #3 (2) 2 3/4" x WOF strips. Subcut (16) 2 3/4" x 4 3/4" rectangles.</p> <p>c. Binding (9) 2 1/4" x WOF strips Piece strips to make a binding strip.</p>		
 <p>Fabric D R330512 Green</p>	<p>1/2y</p>	<p>a. Sashing blocks (4) 1 1/2" x WOF strips. Subcut (8) 1 1/2" x 15 1/2" rectangles.</p> <p>b. Inner border #1 (5) 1 1/2" x WOF strips Piece strips and subcut (2) 1 1/2" x 42 1/2" and (2) 1 1/2" x 44 1/2" strips.</p>		
<table border="1" data-bbox="204 1436 534 1633"> <tr> <td data-bbox="204 1436 367 1633">  <p>Fabric E R330515 Blue</p> </td> <td data-bbox="367 1436 534 1633">  <p>Fabric F R330515 Green</p> </td> </tr> </table>	 <p>Fabric E R330515 Blue</p>	 <p>Fabric F R330515 Green</p>	<p>1/4y</p>	<p>a. Inner border #3 (2) 2 3/4" x WOF strips. Subcut (16) 2 3/4" x 4 3/4" rectangles.</p>
 <p>Fabric E R330515 Blue</p>	 <p>Fabric F R330515 Green</p>			

 <p>Fabric G R330517 Blue</p>	3/8y	<p>a. Pieced blocks (1) 2 1/4" x WOF strip. Subcut (4) 2 1/4" x 2 1/4" squares and (4) 2" x 3 1/2" rectangles.</p> <p>b. Sashing blocks (2) 2 1/2" x WOF strips. Subcut (4) 2 1/2" x 15 1/2" rectangles. (1) 3 1/2" x WOF strip. Subcut (4) 3 1/2" x 6 1/2" rectangles.</p>
 <p>Fabric H R330517 Red</p>	3/8y	<p>a. Inner border #5 (7) 1 1/2" x WOF strips. Piece strips and subcut (2) 1 1/2" x 60 1/2" and (2) 1 1/2" x 62 1/2" strips.</p>
 <p>Fabric I R330518 Blue</p>	1/2y	<p>a. Inner border #6 (7) 2 1/4" x WOF strips. Piece strips and subcut (2) 2 1/4" x 62 1/2" and (2) 2 1/4" x 66" strips.</p>
 <p>Fabric J R330519 Gold</p>	3/8y	<p>a. Inner border #5 (7) 1 1/2" x WOF strips. Piece strips and subcut (2) 1 1/2" x 66" and (2) 1 1/2" x 68" strips.</p>
 <p>Fabric K R330519 Green</p>	1y	<p>a. Pieced blocks (3) 2" x WOF strips. Subcut (28) 2" x 3 1/2" rectangles. (2) 2 1/4" x WOF strips. Subcut (28) 2 1/4" x 2 1/4" squares. (3) 3 1/2" x WOF strips. Subcut (16) 3 1/2" x 6 1/2" rectangles.</p> <p>b. Inner border #3 (4) 2 3/4" x WOF strips. Subcut (32) 2 3/4" x 4 3/4" rectangles.</p>



## General instructions for constructing smaller flying geese



### Flying Geese A

**For finished size 1 ½" x 3" (used in pieced blocks)**

1. Draw a diagonal line on the wrong side of (1) 2 ¼" x 2 ¼" square. Place square, right sides together, at a corner of (1) 2 ¼" x 3 ¾" rectangle. Sew on drawn line. Trim ¼" away from sewn line. Open and press to reveal corner triangle. Repeat with another (1) 2 ¼" x 2 ¼" square at the opposite corner of the same rectangle to make a flying geese unit. **Trim and square up unit to measure 2" x 3 ½" raw edge to raw edge (unfinished).**

### Flying Geese B

**For finished size 2" x 4 ½" (used in inner border #3)**

1. Draw a diagonal line on the wrong side of (1) 2 ¾" x 2 ¾" square. Place square, right sides together, at a corner of (1) 2 ¾" x 4 ¾" rectangle. Sew on drawn line. Trim ¼" away from sewn line. Open and press to reveal corner triangle. Repeat with another (1) 2 ¾" x 2 ¾" square at the opposite corner of the same rectangle to make a flying geese unit. **Trim and square up unit to measure 2 ½" x 4 ½" raw edge to raw edge (unfinished).**

## Constructing the pieced blocks


1. Block center.

Draw a diagonal line on the wrong side of (1) 3 ½" x 3 ½" Background square. Place square, right sides together, at a corner of (1) 6 ½" x 6 ½" Fabric C square. Sew on drawn line. Trim ¼" away from sewn line. Open and press to reveal corner triangle. Repeat with (3) additional 3 ½" x 3 ½" Background squares at the remaining corners of the same Fabric C square.



Repeat this step to make cornerstone unit as well.

2. Make (1) Flying Geese A unit using (2) 2 ¼" x 2 ¼" Background squares and (1) 2 ¼" x 3 ¾" Fabric C rectangle. Make a total of (16)




3. Draw a diagonal line on the wrong side of (1) 3 ½" x 3 ½" Fabric B square. Place square, right sides together, at a corner of (1) 3 ½" x 6 ½" Fabric K rectangle. Sew on drawn line. Trim ¼" away from sewn line. Open and press to reveal corner triangle. Repeat with another 3 ½" x 3 ½" Fabric B square at the opposite corner of the same Fabric K rectangle.



4. Sew (4) step 2 units to make a row unit. Add row unit to the top of (1) step 3 unit, as shown. Unit measures 6 1/2" x 6 1/2" unfinished. Make a total of (4) units.




5. Sew together (1) 2" x 2" Background and (1) 2" x 2" Fabric C square. Add (1) 2" x 3 1/2" Background rectangle to the top. Unit measures 3 1/2" x 3 1/2" unfinished.




6. Refer to the diagram below for fabric placement guide, make (1) flying geese unit using (1) 2 1/4" x 2 1/4" Fabric C square, (1) 2 1/4" x 2 1/4" Fabric K square and (1) 2 1/4" x 3 3/4" Background rectangle.



7. Draw a diagonal line on the wrong side of (1) 2" x 2" Background square. Place square, right sides together and noting seam orientation, at a corner of (1) 2" x 3 1/2" Fabric K rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal corner triangle.



8. Sew step 6 unit to the bottom of step 7 unit. Repeat to make (1) mirror-imaged unit.




(mirror-imaged)


9. Draw a diagonal line on the wrong side of (1) 4" x 4" Background square. Place square, right sides together, on (1) 4" x 4" Fabric C square. Sew 1/4" away from each side of drawn line. Cut along drawn line to yield (2) HST units. Open and press. Align diagonal seam against 45 degree line on quilting ruler, trim units to measure 3 1/2" x 3 1/2" unfinished.



10. Sew together step 5 unit and step 8 unit to make a row unit.



Sew together mirror-imaged step 8 unit and (1) step 9 unit to make a row unit.



11. Sew together row units made in step 10, as shown. Make a total of (3) units and (1) unit using Fabric G pieces for the top right corner.



Make 3




Make 1



12. Sew (2) step 4 units to the opposite sides of step 1 unit to make a row unit.



13. Sew (2) step 11 units to the opposite sides of (1) step 4 unit to make the following row units.



14. Sew step 13 row units to the opposite long sides of step 12 row unit to complete (1) pieced block. Block measures  $18\frac{1}{2}$ " x  $18\frac{1}{2}$ " unfinished. Make a total of (4) blocks.



### Constructing sashing block

1. Draw a diagonal line on the wrong side of (1)  $3\frac{1}{2}$ " x  $3\frac{1}{2}$ " Fabric B square. Place square, right sides together, at a corner of (1)  $3\frac{1}{2}$ " x  $6\frac{1}{2}$ " Fabric G rectangle. Sew on drawn line. Trim  $\frac{1}{4}$ " away from sewn line. Open and press to reveal corner triangle. Repeat with (1)  $3\frac{1}{2}$ " x  $3\frac{1}{2}$ " Fabric B square at the opposite corner of the same Fabric G rectangle.








2. Sew (2)  $1\frac{1}{2}$ " x  $15\frac{1}{2}$ " Background rectangles to the opposite long sides of (1)  $2\frac{1}{2}$ " x  $15\frac{1}{2}$ " Fabric G rectangle, followed by (2)  $1\frac{1}{2}$ " x  $15\frac{1}{2}$ " Fabric D rectangles. Sew pieced strip unit to the top of step 1 unit to make (1) sashing block. Block measures  $6\frac{1}{2}$ " x  $18\frac{1}{2}$ " unfinished. Make a total of (4) blocks.



### Constructing pieced flying geese rows and columns for inner border #3.

1. Following instructions for constructing Flying Geese B units, make a total number of units for the following fabrics:

<p>Fabric B 24 units</p> 	<p>Fabric C 16 units</p> 	<p>Fabric E 16 units</p> 	<p>Fabric F 16 units</p> 	<p>Fabric K 32 units</p> 
--	--	--	---	--

2. Arrange and sew together (24) flying geese units to make a column unit. Make a total of (2) column units.

3. Arrange and sew together (28) flying geese units to make a row unit. Make a total of (2) row units.




## Quilt Top Assembly

1. Noting block orientation, sew (2) pieced blocks to the opposite long sides of (1) sashing block to make a row unit. Make a total of (2) row units.



2. Sew (2) sashing blocks to the opposite sides of cornerstone to make a row unit.



3. Sew step 1 row units to the opposite long sides of step 2 row unit to complete quilt center.



4. Borders. Except for inner border #3, all borders are sewn in the border (2) shorter strips to the opposite sides of quilt center, followed by (2) longer strips of the same fabric for the remaining opposite sides of quilt center.

**Inner border #1:**

Fabric D, (2) 1 1/2" x 42 1/2"; (2) 1 1/2" x 44 1/2".

**Inner border #2:**

Background, (2) 2 1/2" x 44 1/2"; (2) 2 1/2" x 48 1/2"

**Inner border #3:**

Column units, followed by Row units.

**Inner border #4:**

Background, (2) 2 1/2" x 56 1/2"; (2) 2 1/2" x 60 1/2"

**Inner border #5:**

Fabric H, (2) 1 1/2" x 60 1/2"; (2) 1 1/2" x 62 1/2"

**Inner border #6:**

Fabric I, (2) 2 1/4" x 62 1/2"; (2) 2 1/4" x 66"

**Inner border #7**

Fabric J, (2) 1 1/2" x 66"; (2) 1 1/2" x 68"

**Outer border**

Fabric A, (2) 3" x 68", (2) 3" x 73" to complete quilt top.





### **Finishing**

1. Layer backing, batting and quilt top.
2. Baste the layers together. Quilt as desired.
3. Bind to complete the quilt.