

3023

Proud Rooster

By Susan Winget



Table Topper: 41" x 41"



www.wilmingtonprints.com

Wilmington Prints: A World of Possibilities

Proud Rooster

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following:

If using FAT CUTS, you may need to cut additional width-of-fabric strips.

Fabric A - PLEASE NOTE: Panels do not always print the size intended. For this pattern, panels have a coping border added then trimmed so they will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of 4 panels to approximately 10-1/2" x 14-1/2"

Fabric B - Cut (3) 4" strips, subcut (8) 4" x 14" strips

Fabric C - Cut (1) 4-1/2" strip, subcut (2) 4-1/2" x 12-1/2" strips (or fussy cut if desired)

Fabric D - Cut (5) 2-1/2" strips (binding)

Fabric E - Cut (2) 3" strips, subcut (24) 3" squares

Fabric F - Cut (4) 4" strips, subcut (8) 4" x 20" strips


Fabric G - Cut (2) 3-1/2" strips, subcut (8) 3-1/2" x 7" pieces and (8) 3" squares

Fabric H - Cut (2) 3" strips, subcut (16) 3" squares and (8) 2-1/2" squares

Fabric I - Cut (7) 1-3/4" strips, subcut (8) 1-3/4" x 18" and (8) 1-3/4" x 11" strips

2. Piecing Order:

1. Stitch **Fabric I** 1-3/4" x 11" strips to sides of a **Fabric A** panel. Trim strip ends even. Add 1-3/4" x 18" **Fabric I** strips to top and bottom of panel. *Trim bordered panel to 12-1/2" x 16-1/2" (unfinished).* Make a total of 4 **Block 1**.




Block 1 - Make 4


Arrows indicate orientation of directional prints.

Letters in italics indicate wrong side of fabric.

2. On the wrong side of all of the **Fabric E** 3" squares, draw a diagonal line from corner to corner. Draw 2 lines 1/4" on each side of first line.




3. Arrange a marked **Fabric E** 3" square right sides together with a **Fabric G** 3" square aligning all edges. Stitch along the 2 outside lines. Cut along the center line. Press the 2 triangle sets open. Centering seam, trim each to 2-1/2" square. Make a total of 16 Unit 1. In the same manner, make 32 Unit 2 with fabrics indicated.




4. Arrange 2 Unit 2 on each short end of a **Fabric C** 4-1/2" x 12-1/2" strip as shown. Stitch units together (2-1/2" x 4-1/2" unfinished). Sew to sides of the **Fabric C** piece. Make 2 Unit 3 (4-1/2" x 16-1/2" unfinished).



5. Arrange 2 **Fabric H** 2-1/2" squares and 6 Unit 2 above and below a Unit 3. Sew squares and units into rows (2-1/2" x 16-1/2" unfinished). Stitch rows above and below Unit 3. Make a total of 2 **Block 2** (8-1/2" x 16-1/2" unfinished).




6. Sew a **Fabric B** 4" x 14" strip centered between **Fabric G** 3-1/2" x 7" and **Fabric F** 4" x 20" strips as shown. Make a total of 8 Unit 4 (10-1/2" tall x 20" wide unfinished).




Proud Rooster


7. From a Unit 4, cut a triangle
19-1/4" wide x 9-5/8" tall as shown.
Cut a total of 4 Unit 5.




8. Sew 2 Unit 5 together
along short edges as shown.
Make a total of 2 **Block 3**
(18-7/8" x 18-7/8" x 26 3/4"
unfinished).



9. From a Unit 4, cut a triangle
18-1/4" wide x 9-1/8" tall as shown.
Cut a total of 4 Unit 6.



10. Sew 2 Unit 6 together along
short edges as shown.
Make a total of 2 **Block 4**
(25-1/4" x 17-7/8" x 17-7/8"
unfinished).



11. Refer to Quilt Layout (Page 3) for
arrangement and placement of units and
blocks.

12. Arrange all **Block 1**, **Block 2**, and Unit 1
in 3 vertical rows. Stitch into rows. Sew rows
together completing quilt center
(32-1/2" x 34-1/2" unfinished).

13. Center each **Block 3** long edge above and
below the quilt center. Stitch blocks to quilt
center. Press seams to quilt center.

14. Center each **Block 4** long edge on right and
left sides of the quilt center. Stitch blocks to
quilt center. Press seams to quilt center.


15. The quilt measures approximately
41-1/2" square (unfinished). Make backing
(**Fabric J**) approximately 8" larger than the top.

16. Layer and baste top, batting, and backing
together. Quilt as desired. Attach binding
(**Fabric D**) and enjoy!!

Proud Rooster

QUILT LAYOUT

Arrows indicate orientation of directional prints.



Proud Rooster

By Susan Winget



Fabric A
3023-39763-139
2/3 yard (1 Repeat)



Fabric B
3023-39765-139
1/2 yard



Fabric C
3023-39766-199
1/4 yard (Or Fat Quarter)



Fabric D
3023-39767-199
1/2 yard (Binding only)



Fabric E
3023-39768-199
1/4 yard (Or Fat Quarter)




Fabric F
3023-39769-990
5/8 yard



Fabric G
3023-39770-192
1/3 yard (Or Fat Quarter)



Fabric H
3023-39770-339
1/4 yard (Or Fat Quarter)



Fabric I
3023-39770-999
1/2 yard



Fabric J
3023-39771-199
3 1/4 yards
(Suggested Backing)

