A 3023-39818-243 2/3 yd. (1 Panel)



B 3023-39819-236 2 1/8 yds.



C 3023-39825-441 7/8 yd.



D 3023-39822-434 2 1/2 yds.



E 3023-39820-333 1/2 yd.



F 3023-39821-363 1 yd. (Binding Only)



G 3023-39820-444 1 1/4 yds.



J 3023-39825-331 1/3 yd. (or Fat Quarter)



www.wilmingtonprints.com

Hydrangea Mist By Susan Winget



Queen Quilt: 80" x 98"



H 3023-39824-444 1/2 yd.



K 3023-39823-244 2/3 yd.



I 3023-39824-215 7/8 yd.

Quilter's Choice

L Backing 44/45" - 7 1/2 yds. 108" - 2 5/8 yds.





Hydrangea Mist

Please read all instructions carefully AND identify all fabrics before beginning. All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following:

If using FAT CUTS, you may need to cut additional width-of-fabric strips.

Fabric A - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of panel to approximately 23-1/2" x 42"

Fabric B - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 8-3/4" x 66" x (2) 8-3/4" x 48" multi-stripe borders

Fabric C - Cut (4) 6-1/2" strips, subcut (20) 6-1/2" squares

Fabric D - Cut (3) 6-1/2" strips, subcut (18) 6-1/2" squares Cut (9) 6-1/2" strips, sewn together end to end and cut into (2) 6-1/2" x 86-1/2" and (2) 6-1/2" x 80-1/2" borders

Fabric E - Cut (1) 6-1/2" strip, subcut (4) 6-1/2" squares and (3) 2-1/2" squares Cut (1) 3-1/2" strip, subcut (8) 3-1/2" squares and (5) 2-1/2" squares Cut (1) 2-1/2" strip, subcut (16) 2-1/2" squares

Fabric F - Cut (10) 2-1/2" strips (binding)

Fabric G - Cut (13) 2-1/2" strips, sewn together end to end and cut into (2) 2-1/2" x 78-1/2", (2) 2-1/2" x 64-1/2", (2) 2-1/2" x 62-1/2", and (2) 2-1/2" x 48-1/2" borders

Fabric H - Cut (2) 3-1/4" strips Cut (2) 3" strips, subcut (2) 3" x 29" strips

Fabric I - Cut (7) 3-1/2" strips, subcut (84) 3-1/2" squares

Fabric J - Cut (3) 2-1/2" strips, subcut (44) 2-1/2" squares

Fabric K - Cut (8) 2-1/2" strips, sewn together end to end and cut into (2) 2-1/2" x 82-1/2" and (2) 2-1/2" x 68-1/2" borders

2. Piecing Order:

1. Draw a diagonal line across the wrong side of all 2-1/2" and 3-1/2" squares.



2. Arrange 2 **Fabric I** 3-1/2" marked squares right sides together on opposite corners of a





Fabric E 6-1/2" square as shown.

Stitch along the marked lines. Trim seam allowances to 1/4". Press corners out. Make a total of 4 **Block 1** (6-1/2" square unfinished).

Letters in italics indicate wrong side of fabric.

3. In the same manner, use 2 **Fabric I** 3-1/2" marked squares to create triangles on opposite corners of a **Fabric C** 6-1/2"





Block 2 - Make 8

square as shown. Arrange 1 each **Fabric E** 3-1/2" and **Fabric E** 2-1/2" squares on remaining corners as shown. Stitch along marked lines. Trim seam allowances to 1/4". Press corners out. Make a total of 8 **Block 2** (6-1/2" square unfinished).

4. In the same manner, make the number of **Blocks 3-6** with **Fabrics C** and **D** 6 1/2" squares, **Fabric I** 3 1/2" squares and **Fabrics E** and **J** 2 1/2" squares



Block 3 Make 4



Block 4 Make 8



Block 5 Make 16




Block 6 Make 2

- 5. Refer to Quilt Layout (Page 3) for arrangement and placement of panel, strips, blocks, and borders.
- 6. Stitch **Fabric H** 3-1/4" x width of fabric strips to sides of the **Fabric A** panel. Trim strip ends even. Add 3" x 29" **Fabric H** strips to top and bottom of panel. *Trim bordered panel to* 28" x 46" (unfinished).

Hydrangea Mist


7. Center **Fabric B** 8-3/4" x 66" borders on right and left sides of quilt center and **Fabric B** 8-3/4" x 48" borders on top

and bottom of quilt center with the stripe arranged clockwise around the quilt center.
Stitch borders to sides starting and stopping 1/4" from corners of quilt center. Do not trim. Press borders out.



Letters in italics indicate wrong side of fabric. Arrows indicate orientation of directional prints.

8. Working with 1 corner at a time, fold the quilt right sides together so the outside edges of the borders line up. Using a 45-degree ruler, mark from the end of border seams to outer edges of borders. Stitch along marked line. Trim seam allowance to 1/4". Press corner seam open. Repeat on remaining corners.



- 9. Sew **Fabric G** 2-1/2" x 62-1/2" borders to right and left sides of quilt. Add **Fabric G** 2-1/2" x 48-1/2" borders to top and bottom of quilt.
- 10. Arrange 2 **Block 2**, 2 **Block 3**, 2 **Block 4**, 4 **Block 5**, and 1 **Block 6** in vertical rows on right and left sides of bordered panel. Stitch into vertical borders (6-1/2" x 66-1/2" unfinished). Sew to right and left sides of bordered panel.

- 11. Arrange 2 **Block 1**, 2 **Block 2**, 2 **Block 4**, and 4 **Block 5** in horizontal rows above and below bordered panel. Stitch into horizontal borders (6-1/2" x 60-1/2" unfinished). Sew to top and bottom of bordered panel. Quilt center measures (60-1/2" x 78-1/2" unfinished)
- 12. Sew **Fabric G** 2-1/2" x 78-1/2" borders to right and left sides of quilt center. Add **Fabric G** 2-1/2" x 64-1/2" borders to top and bottom of quilt center.
- 13. Sew **Fabric K** 2-1/2" x 82-1/2" borders to right and left sides of quilt. Add **Fabric K** 2-1/2" x 68-1/2" borders to top and bottom of quilt.
- 14. Sew **Fabric D** 6-1/2" x 86-1/2" borders to right and left sides of quilt. Add **Fabric D** 6-1/2" x 80-1/2" borders to top and bottom of quilt.
- 15. The quilt measures approximately 80-1/2" x 98-1/2" (unfinished). Make backing (**Fabric L**) approximately 8" larger than the top.
- 16. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric F**) and enjoy!!

Hydrangea Mist QUILT LAYOUT

Border measurements are the cut size.

Arrows indicate orientation of directional prints.

